




|                         |                |  |                         |
|-------------------------|----------------|--|-------------------------|
| DESIGN<br>RF            | DRAWN BY<br>RF | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA |                         |
| CHECKED<br>             | APPROVED<br>   | DRAWING NO.<br><b>D3353</b>                              | REV. A<br>SHEET 1 OF 10 |
| DATE<br><b>04.12.14</b> |                | TITLE<br><b>LUG WELDMENT</b>                             | SCALE<br>1:4            |
| A                       | 04.12.14       | NEW ISSUE  |                         |

RELEASED  
36/37/09



### D3353-041 LUG WELDMENT

#### NOTES:

- 1) WELD PER DART QSI 004
- 2) COVER INSIDE HOLES PRIOR PAINTING
- 3) FINISH: POWDER COAT PAINT FIRE RED (4.3.5.10) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.010 TO 0.020

**COPYRIGHT © 2004 BY DART AEROSPACE LTD.**




THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

|                               |                                |  |                         |
|-------------------------------|--------------------------------|--|-------------------------|
| DESIGN<br>RF                  | DRAWN BY<br>RF                 | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA |                         |
| CHECKED<br><i>[Signature]</i> | APPROVED<br><i>[Signature]</i> | DRAWING NO.<br><b>D3353</b>                              | REV. A<br>SHEET 2 OF 10 |
| DATE<br><b>04.12.14</b>       |                                | TITLE<br><b>LUG WELDMENT</b>                             | SCALE<br>1:4            |

**RELEASED**  
06/03/59

D3353-11 UNIVERSAL JOINT (1)  
D3357-5 BACK PLATE (1)  
D3353-17 SUPPORT (1)  
D3353-13 TUBING (1)  
D3353-3 RIGHT PLATE (1)  
D3353-15 LOCK BRACKET (1)  
D3353-7 FRONT PLATE (1)  
D3353-1 LEFT PLATE (1)

**SECTION B-B****D3353-042 LUG WELDMENT****NOTES:**

- 1) WELD PER DART QSI 004
- 2) COVER INSIDE HOLES PRIOR PAINTING
- 3) FINISH: POWDER COAT PAINT FIRE RED (4.3.5.10) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.010 TO 0.020


**COPYRIGHT © 2004 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



|                               |                                |  |                         |
|-------------------------------|--------------------------------|--|-------------------------|
| DESIGN<br>RF                  | DRAWN BY<br>RF                 | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA |                         |
| CHECKED<br><i>[Signature]</i> | APPROVED<br><i>[Signature]</i> | DRAWING NO.<br><b>D3353</b>                              | REV. A<br>SHEET 3 OF 10 |
| DATE<br><b>04.12.14</b>       |                                | TITLE<br><b>LUG WELDMENT</b>                             | SCALE<br>1:2            |

RELEASED  
01/07/04




### D3353-1 LEFT PLATE

#### NOTES:


- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES STEEL 3 GAUGE (0.250 THICK)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.010 TO 0.020

**COPYRIGHT © 2004 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



RELEASED  
01/03/09



### **D3353-3 RIGHT PLATE**

**NOTES:**

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A108 OR CSA G40.21,  
38W/44W/50W/60W/70W SERIES STEEL 3 GAUGE (0.250 THICK)  
2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED  
3) ALL DIMENSIONS ARE IN INCHES  
4) BREAK ALL SHARP EDGES 0.010 TO 0.020


**COPYRIGHT © 2004 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



|                               |                                |  |                         |
|-------------------------------|--------------------------------|--|-------------------------|
| DESIGN<br>RF                  | DRAWN BY<br>RF                 | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA |                         |
| CHECKED<br><i>[Signature]</i> | APPROVED<br><i>[Signature]</i> | DRAWING NO.<br><b>D3353</b>                              | REV. A<br>SHEET 5 OF 10 |
| DATE<br><b>04.12.14</b>       | TITLE<br><b>LUG WELDMENT</b>   |  | SCALE<br>1:1            |

**RELEASED**  
*[Stamp: 06/03/09]*



### **D3353-5 BACK PLATE**

#### **NOTES:**

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A108 OR CSA G40.21, 38W/44W/50W/60W/70W SERIES  
STEEL 0.375 THICK PLATE  
MIN. ULTIMATE TENSILE STRENGTH = 42 ksi  
MIN. YIELD TENSILE STRENGTH = 28 ksi
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.010 TO 0.020


**COPYRIGHT © 2004 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



|                  |                       |   |               |
|------------------|-----------------------|---|---------------|
| DESIGN<br>RF     | DRAWN BY<br>RF        | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |               |
| CHECKED          | APPROVED              | DRAWING NO.<br>D3353                              | REV. A        |
| DATE<br>04.12.14 | TITLE<br>LUG WELDMENT |   | SHEET 6 OF 10 |
|                  |                       |   | SCALE<br>1:1  |

RELEASED  
06/03/07



### D3353-7 FRONT PLATE

#### NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A108 OR  
CSA G40.21, 38W/44W/50W/60W/70W SERIES  
STEEL 0.375 THICK PLATE  
MIN. ULTIMATE TENSILE STRENGTH = 42 ksi  
MIN. YIELD TENSILE STRENGTH = 28 ksi
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.010 TO 0.020

COPYRIGHT © 2004 BY DART AEROSPACE LTD.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



|                         |                         |  |                         |
|-------------------------|-------------------------|--|-------------------------|
| DESIGN<br>RF            | DRAWN BY<br>RF          | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA |                         |
| CHECKED<br>[Signature]  | APPROVED<br>[Signature] | DRAWING NO.<br><b>D3353</b>                              | REV. A<br>SHEET 7 OF 10 |
| DATE<br><b>04.12.14</b> |                         | TITLE<br><b>LUG WELDMENT</b>                             | SCALE<br>1:1            |


RELEASED  
3/3/09

[Signature]



### D3353-9 STOP PLATE

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR  
CSA G40.21, 38W/44W/50W/60W/70W, 0.375 THICK  
MILD STEEL BAR (REF. DART SPEC. M1010-B)



### D3353-13 TUBING

#### NOTES:

- 1) MATERIAL: MIL-T-5066 OR ASTM A513-00 MT1020 SRA OR AMS 5075 OR AMS 5077,  
Ø 1.250 x 0.125 WALL, COLD DRAWN STEEL TUBING  
(REF. DART SPEC. M1020TR1.250W.109)


#### NOTES:

- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED  
3) ALL DIMENSIONS ARE IN INCHES  
4) BREAK ALL SHARP EDGES 0.010 TO 0.020



|                         |                         |  |                         |
|-------------------------|-------------------------|--|-------------------------|
| DESIGN<br>RF            | DRAWN BY<br>RF          | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA |                         |
| CHECKED<br>[Signature]  | APPROVED<br>[Signature] | DRAWING NO.<br><b>D3353</b>                              | REV. A<br>SHEET 8 OF 10 |
| DATE<br><b>04.12.14</b> |                         | TITLE<br><b>LUG WELDMENT</b>                             | SCALE<br>1:1            |

RELEASED  
06/33/09



### D3353-11 UNIVERSAL JOINT

#### NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR CSA G40.21, 38W/44W/50W/60W/70W, 1.50 SQUARE MILD STEEL BAR (REF. DART SPEC. M1010-B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.010 TO 0.020

**COPYRIGHT © 2004 BY DART AEROSPACE LTD.**





THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





|                        |                         |   |                               |
|------------------------|-------------------------|---|-------------------------------|
| DESIGN<br>RF           | DRAWN BY<br>RF          | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |                               |
| CHECKED<br>[Signature] | APPROVED<br>[Signature] | DRAWING NO.<br>D3353                              | REV. A                        |
| DATE<br>04.12.14       |                         | TITLE<br>LUG WELDMENT                             | SHEET 9 OF 10<br>SCALE<br>1:1 |


RELEASED  
36/03/09



## D3353-15 LOCK BRACKET

### NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR  
CSA G40.21, 38W/44W/50W/60W/70W, 0.75 THICK MILD  
STEEL BAR (REF. DART SPEC. M1010-B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.010 TO 0.020




ISOMETRIC VIEW  
SCALE 1 : 2

COPYRIGHT © 2004 BY DART AEROSPACE LTD.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

|                         |                              |  |                |
|-------------------------|------------------------------|--|----------------|
| DESIGN<br>RF            | DRAWN BY<br>RE               | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA |                |
| CHECKED                 | APPROVED                     | DRAWING NO.<br><b>D3353</b>                              | REV. A         |
| DATE<br><b>04.12.14</b> | TITLE<br><b>LUG WELDMENT</b> |  | SHEET 10 OF 10 |
|                         |                              | SCALE<br>1:1   |                |

**D3353-17 SUPPORT****NOTES:**

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR CSA G40.21, 38W/44W/50W/60W/70W, 1.50 SQUARE MILD STEEL BAR (REF. DART SPEC. M1010-B1.500x01.500)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.010 TO 0.020

**COPYRIGHT © 2004 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.